



From industrial to municipal, we have the right pole for your project.

Table of Contents

1C3 / 0C3 Round Poles 6 1C6 / 0C6 Round Poles 8 1C1 / 0C1 Octagonal Poles 10 1C4 / 0C4 Octagonal Poles 12 1C5 / 0C5 Square Poles 14 1C8 / 0C8 Square Poles 16 2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30 8B2 Round Poles 32	1C2 / 0C2 Round Poles	. 4
1C1 / 0C1 Octagonal Poles 10 1C4 / 0C4 Octagonal Poles 12 1C5 / 0C5 Square Poles 14 1C8 / 0C8 Square Poles 16 2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C3 / 0C3 Round Poles	. 6
1C4 / 0C4 Octagonal Poles 12 1C5 / 0C5 Square Poles 14 1C8 / 0C8 Square Poles 16 2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C6 / 0C6 Round Poles	. 8
1C5 / 0C5 Square Poles 14 1C8 / 0C8 Square Poles 16 2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C1 / 0C1 Octagonal Poles	10
1C8 / 0C8 Square Poles 16 2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C4 / 0C4 Octagonal Poles	12
2B2 Round Poles 18 3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C5 / 0C5 Square Poles	14
3B3 Round Poles 20 4B1 / 4E1 Octagonal Poles 22 5B1 / 5B7 Octagonal Poles 24 5S1 / 5S7 Octagonal Poles 26 6B1 Octagonal Poles 28 7B2 Round Poles 30	1C8 / 0C8 Square Poles	16
4B1 / 4E1 Octagonal Poles	2B2 Round Poles	18
5B1 / 5B7 Octagonal Poles245S1 / 5S7 Octagonal Poles266B1 Octagonal Poles287B2 Round Poles30	3B3 Round Poles	20
5S1 / 5S7 Octagonal Poles	4B1 / 4E1 Octagonal Poles	22
6B1 Octagonal Poles		
7B2 Round Poles	5S1 / 5S7 Octagonal Poles	26
	6B1 Octagonal Poles	28
	7B2 Round Poles	30

Contemporary Series 1C2 / 0C2 Round Poles

Available in base plate and embedded styles

Our Ameron™ Contemporary Series 1C2 and 0C2 poles are ideal for street lighting, recreational areas, parking lots, park security, and walkways. Application can be post top or side mounted.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield™, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







"A"

"OL"

Base plate style - information

Catalog number	Pole height "A"	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Weight (lb)
1C217	17'1"	73/8"	1"×36"×4"	12½"	14"	16,800	530
1C223	23'2"	81/4"	1"×36"×4"	12½"	14"	17,000	780
1C225	25'4"	81/2"	1"×36"×4"	12½"	14"	18,600	840
1C230	30'2"	9¾16″	1"×36"×4"	12½"	14"	22,500	1,050

Embedded style - information


Catalog number	Pole height "A"	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C217	13'	73/8"	4'	17'	11,400	510
0C223	18'10"	81/4"	4'3"	23′1″	14,800	760
0C225	20'9"	8½"	4'6"	25'3"	16,400	820
0C227	22'4"	8¾"	4'9"	27'1"	16,700	940
0C230	25'	91/8"	5'	30'	19,000	1,030
0C233	27'9"	9%16"	5'3"	33'	21,100	1,220
0C235	29'6"	913/16"	5'6"	35'	22,500	1,270


Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.


Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.





Base plate style



1C2 slotted base plate prestressed to pole

Ø

Ø

Contemporary Series 1C3 / 0C3 Round Poles

Available in base plate and embedded styles

Our Ameron Contemporary Series 1C3 and 0C3 poles are the ideal strength for larger roadways and street lighting, parking lots, recreational areas, and similar areas. Application can be post top or side mounted.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty


Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.









"A"

"OL"

Base plate style - information

Catalog number	Pole height "A"	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C322	22'8"	9¾16″	1"×36"×4"	12½"	14"	31,400	980
1C325	25'	97/16"	1"×36"×4"	151/4"	14"	34,700	1,240
1C328	28'1"	97/8"	1"×36"×4"	151/4"	14"	38,800	1,495
1C330	30'1"	10¾16″	1"×36"×4"	151/4"	14"	41,700	1,730
1C333	33'	10½"	1"×36"×4"	151/4"	14"	46,100	1,840

Embedded style - information


Catalog number	Pole height "A"	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C322	18'5"	9¾16"	4'3"	22'8"	25,500	960
0C325	20'	97/16"	5′	25'	28,000	990
0C328	23'	97/8"	5'	28'	30,500	1,475
0C330	25'	10¾16″	5′	30'	32,800	1,720
0C333	27'6"	10½"	5'6"	33'	35,800	1,820

Specifications: Use contemporary specifications.


Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.


Anti-graffiti and sealer: Optional coatings available for added protection




Base plate style



1C3 elevation See recommended "Capping Details"



0C3 / 1C3 shaft cross section detail



1C3 slotted base plate prestressed to pole

Contemporary Series 1C6 / 0C6 Round Poles

Available in base plate and embedded styles

Our Ameron Contemporary Series 1C6 and 0C6 poles are ideal for street lighting, recreation areas, parking lots, walkways, and security lighting. Application can be post top or side mounted.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







"A"

"OL'

Base plate style - information

Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C612	12'1"	4%16"	6¾16″	3/4" × 18" × 4"	9¾"	10"	8,800	285
1C613	13'1"	43/8"	6¾16″	3/4" × 18" × 4"	9¾"	10"	8,800	335
1C614	14'1"	41/4"	6¾16″	3/4" × 18" × 4"	9¾"	10"	8,800	345
1C616	16'1"	4"	6¾16″	3/4" × 18" × 4"	9¾"	10"	8,800	370
1C618	18'1"	4"	6½"	3/4" × 18" × 4"	9¾"	10"	10,000	420
1C620	20'1"	43/8"	6¾"	3/4" × 18" × 4"	93/4"	10"	11,200	490
1C623	23'1"	4"	73/16"	1"×36"×4"	12½"	12"	13,000	560

Embedded style - information


Catalog number	Pole height "A"	Top OD	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C612	8'9"	49/16"	6¾16″	3'3"	12'	7,400	265
0C613	9'9"	43/8"	6¾16″	3'3"	13'	7,400	315
0C614	10'9"	41/4"	6¾16″	3'3"	14'	7,400	325
0C616	12'6"	4"	6¾16″	3'6"	16'	7,400	350
0C618	14'	4"	6½"	4'	18'	8,050	400
0C620	16'	43/8"	6¾"	4'	20'	9,000	420
0C623	18'9"	4"	7¾16″	4'3"	23'	10,500	540
0C628	23'1"	41/4"	81/8"	5′	28'1"	14,100	640

Specifications: Use contemporary specifications.

Colors and finishes: Fillmore mix colors.

Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.




Embedded style

Ground line 12"


18"

Elevation


Base plate style



See recommended "Capping Details"



Shaft cross section detail



Slotted base plate prestressed to pole

Contemporary Series 1C1 / 0C1 Octagonal Poles

Available in base plate and embedded styles

Our Ameron Contemporary Series 1C1 and 0C1 poles are the ideal strength for street lighting, park and recreation areas, parking lots, area security, and walkways. Application can be post top, side mounted or mast arm.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance.
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards.
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.








Base plate style - information

Catalog number	Pole height "A"	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C116	16'3"	7¾"	1"×36"×4"	12½"	12"	17,000	560
1C117	17'9"	7%"	1"×36"×4"	121/2"	12"	18,400	630
1C119	19'6"	8"	1"×36"×4"	121/2"	12"	20,000	720
1C120	20'9"	81/4"	1"×36"×4"	12½"	12"	21,200	800
1C123	23'3"	83/8"	1"×36"×4"	12½"	12"	22,200	940
1C125	25'9"	83/4"	1"×36"×4"	12½"	12"	25,400	1,030
1C128	28'3"	9"	1"×36"×4"	12½"	12"	27,400	1,240
1C129	29'3"	91/8"	1"×36"×4"	12½"	12"	28,100	1,290
1C140	40'3"	101/4"	11/4" × 44" × 4"	14"	14"	38,200	2,090

Embedded style - information

Catalog number	Pole height "A"	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C116	12'3"	73/4"	4'	16'3"	16,300	530
0C117	13'9"	7%"	4'	17'9"	17,400	600
0C119	15'6"	8"	4'	19'6"	18,000	690
0C120	16'9"	81/4"	4'	20'9"	18,900	770
0C123	18'9"	8%"	4'6"	23'3"	19,900	910
0C125	21'	8¾"	4'9"	25'9"	21,600	1,000
0C128	23'3"	9"	5'	28'3"	23,000	1,210
0C129	24'3"	91/8"	5'	29'3"	23,600	1,260
0C140	34'3"	101/4"	6′	40'3"	34,000	2,020



Contemporary Series 1C4 / 0C4 Octagonal Poles

Available in base plate and embedded styles

Our Ameron Contemporary Series 1C4 and 0C4 poles are the ideal strength for street lighting, park and recreation areas, parking lots, area security, and walkways. Application can be post top, side mounted, or mast arm.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.








"A"

"OL"





Embedded style - information


Catalog number	Pole height "A"	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C431	25'11"	105/16"	5'4"	31'3"	29,900	1,630
0C435	29'7"	1013/16"	5'8"	35'3"	32,000	1,930


Specifications: Use contemporary specifications.


Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.







Slotted base plate prestressed to pole

Contemporary Series 1C5 / 0C5 Square Poles

Available in base plate and embedded styles

Our versatile Ameron Contemporary Series 1C5 and 0C5 square poles are the ideal strength for street lighting, park and recreation areas, parking lots, and walkways. Application can be post top, side mounted, or mast arm.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.





Ameron Contemporary Series 1C5 / 0C5 Square Poles

6" top OD

Base plate style - information

Catalog number	Pole height "A"	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C516	16'9"	73/4"	1"×36"×4"	14"	14"	17,700	725
1C525	25'6"	811/16"	1"×36"×4"	14"	14"	24,900	1,200
1C530	30'3"	9¾16″	1"×36"×4"	14"	14"	31,000	1,700
1C540	40'3"	101/4"	11/4" × 44" × 4"	16"	16"	38,200	2,600

Diamond pattern base plate style - information

Catalog number	Pole height "A"	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C523	23'3"	81/2"	1"×36"×4"	11½′12½″	12"	26,300	1,165
1C528	28'3"	9"	1"×36"×4"	11½′12½″	12"	29,500	1,540
1C529	29'9"	95/32"	1"×36"×4"	11½′12½″	12"	30,000	1,660
1C533	33'3"	91/2"	1" × 36" × 4"	11½′12½″	12"	32,500	1,960
1C535	35'3"	9¾"	1"×36"×4"	11½′12½″	12"	33,800	2,110

Embedded style - information

Catalog number	Pole height "A"	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C516	13'	73/4"	3'9"	16'9"	17,700	705
0C523	18'9"	81/2"	4'6"	23'3"	21,600	1,010
0C525	20'9"	811/16"	4'9"	25'6"	22,700	1,180
0C528	23'3"	9"	5'	28'3"	24,800	1,520
0C529	24'9"	95⁄32"	5'	29'9"	26,000	1,640
0C530	25'3"	9¾16″	5′	30'3"	26,100	1,680
0C533	27'9"	91/2"	5'6"	33'3"	29,200	1,940
0C535	29'6"	9¾"	5'9"	35'3"	30,000	2,080
0C540	34'3"	101/4"	6′	40'3"	32,700	2,580


Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.


Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.


Base plate style




1C5 elevation See recommended "Capping Details"



1C5 diamond pattern slotted base plate prestressed to pole



Shaft cross section detail



1C5 slotted base plate prestressed to pole

Contemporary Series 1C8 / 0C8 Square Poles

Available in base plate and embedded styles

Our Ameron Contemporary Series 1C8 and 0C8 square poles are the ideal strength for street lighting, park and recreation areas, parking lots, area security, and walkways. Application can be post top or side mounted.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength, durability, and vibration resistance
- Natural stone and terrazzo aggregates maintain a like new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







"A"

0C8 embedded pole

"OL"

Base plate style - information

Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
1C812	12'3"	41/2"	61/4"	3/4" × 18" × 4"	93/4"	10"	8,500	350
1C814	14'3"	41/4"	61/4"	3/4" × 18" × 4"	9¾"	10"	8,500	390
1C814	16'	4"	61/4"	3/4" × 18" × 4"	9¾"	10"	8,500	420
1C820	19'10"	4"	613/16"	3/4" × 18" × 4"	9¾"	10"	11,000	590

Embedded style - information


Catalog number	Pole height "A"	Top OD	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
0C812	9'	41/4"	5¾"	3'3"	12'3"	7,660	350
0C814	10'9"	41/2"	6"	3'6"	14'3"	7,700	365
0C816	12'3"	4"	61/4"	3'9"	16'	7,600	420
0C818	14'4"	41/4"	613/16"	3'8"	18'	9,400	475
0C820	15'10"	4"	6 ¹³ /16"	4'	19'10"	9,300	580


Specifications: Use contemporary specifications.


Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.







Contemporary Series 2B2 Round Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.





Ultimate

GL moment

(ft/lb)

12,900

17,200

17,800


Pole weight

(lb)

620

820

900



Contemporary Series 3B3 Round Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability.
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance.
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards.
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







Base plate style - information


Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
3B330	30'4"	6"	18"	1"×36"×4"	21"	20"	34,700	1,870

Specifications: Use contemporary specifications.


Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.


Anti-graffiti and sealer: Optional coatings available for added protection.



Shaft cross section detail



Slotted base plate



Elevation See recommended "Capping Detail"

Contemporary Series 4B1 / 4E1 Octagonal Poles

Available in base plate and embedded style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







"OL"

Base plate style - information

Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
4B117	17'8"	6"	14"	1"×18"×3"	17"	16"	20,000	750
4B119	19'2"	6"	14"	1"×18"×3"	17"	16"	21,500	800
4B120	20'11"	6"	14"	1" × 36" × 4"	17"	16"	23,300	840
4B122	22'2"	6"	14"	1" × 36" × 4"	17"	16"	24,400	910
4B124	24'8"	6"	14"	1"×36"×4"	17"	16"	26,700	1,000
4B127	27'2"	6"	14"	1"×36"×4"	17"	16"	29,000	1,180

Embedded style - information


Catalog number	Pole height "A"	Top OD	Bottom OD	Embedded depth "B"	Overall length "OL"	Ultimate GL moment (ft/lb)	Pole weight (lb)
4E117	17'8"	6"	14"	4'8"	22'4"	20,000	1,150
4E119	19'2"	6"	14"	4'8"	23'10"	21,500	1,200
4E120	20'11"	6"	14"	4'8"	25'7"	23,300	1,240
4E122	22'2"	6"	14"	4'8"	26'10"	24,400	1,310
4E124	24'8"	6"	14"	4'8"	29'4"	26,700	1,400
4E127	27'2"	6"	14"	4'8"	31'10"	29,000	1,600


Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.






Shaft cross section detail



Elevation See recommended "Capping Detail"



Slotted base plate

Contemporary Series 5B1 / 5B7 Octagonal Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







Contemporary Series 5S1 / 5S7 Octagonal Poles

Available in internal base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







Base plate style - information


Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Ultimate GL moment (ft/lb)	Pole weight (lb)
5S713	13'1"	5"	16"	A449	61/2"	10,600	560
5S720	20'8"	4"	16"	A449	6½"	10,600	900
5S119	19'6"	6"	20"	A449	9"	12,700	1,120
5S121	21'6"	6"	20"	A449	9"	15,700	1,270
5S122	22'6"	6"	20"	A449	9"	16,200	1,350
5S124	24'	6"	20"	A449	9"	18,400	1,440
5S126	26'6"	6"	20"	A449	9"	20,600	1,550
5S129	29'	6"	20"	A449	9"	22,900	1,700
5S131	31'6"	6"	20"	A449	9"	25,100	1,880


Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.


Luminaire mounting: See technical-mounting options section for more information.


 $\textbf{Anti-graffiti and sealer:} \ \textbf{Optional coatings available for added protection}.$





Elevation See recommended "Capping Detail"





Shaft cross section detail

Contemporary Series 6B1 Octagonal Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits


- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







Base plate style - information


Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
6B119	19'7"	6"	18"	1" x 36" x 4"	21"	20"	17,000	1,165
6B121	21'1"	6"	18"	1" x 36" x 4"	21"	20"	18,400	1,255
6B124	24'1"	6"	18"	1" x 36" x 4"	21"	20"	20,600	1,390
6B126	26'7"	6"	18"	1" x 36" x 4"	21"	20"	21,200	1,475
6B129	29'1"	6"	18"	1" x 36" x 4"	21"	20"	25,400	1,580
6B131	31'7"	6"	18"	1" x 36" x 4"	21"	20"	27,400	1,650

Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.


Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.




Shaft cross section detail

Hand hole



Elevation See recommended "Capping Detail"



Slotted base plate

Contemporary Series 7B2 Round Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.





Top OD

Base plate style - information


Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
7B210	10'3"	5¾"	12"	3/4" × 18" × 4"	14½"	12½"	10,000	296
7B212	12'3"	5½"	12"	3/4" × 18" × 4"	14½"	12½"	11,000	340
7B214	14'6"	51/4"	12"	3/4" × 18" × 4"	14½"	12½"	11,600	480
7B215	15'6"	5"	12"	3/4" × 18" × 4"	14½"	12½"	11,900	500

Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.

Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.




Shaft cross section detail

Hand hole



Elevation See recommended "Capping Detail"



Slotted base plate

Contemporary Series 8B2 Round Poles

Available in base plate style

Our Contemporary Series decorative base poles are ideal for street lighting, recreational areas, parking lots, walkways, and security lighting. Application can be post top or mast arm. Ameron poles are constructed with the highest quality materials and workmanship.

Features and Benefits

- Prestressed steel and highest quality concrete are centrifugally cast for ultimate strength and durability
- Natural stone and terrazzo aggregates maintain a like-new appearance with virtually no maintenance
- Conforms to applicable sections of ACI, AASHTO, ASTM, and IBC standards
- Exclusive 10-year warranty

Colors and Finishes

A wide range of standard, preformulated, and custom colors are available. The concrete shafts are lightly blasted to expose the texture and color of the natural stone. See separate aggregates and finishes sheet for details. We offer Amershield, a premium graffiti-resistant coating, as well as other durable sealers and protectants that further enhance colors, protect the concrete surface, and aid in the removal of graffiti.







Base plate style - information


Catalog number	Pole height "A"	Top OD	Base OD	Anchor bolt	Bolt circle	Base plate (Sq)	Ultimate GL moment (ft/lb)	Pole weight (lb)
8B218	18'7"	5"	14"	1"×18"×3"	17"	16"	14,000	620

Specifications: Use contemporary specifications.

Colors and finishes: See contemporary color selection guide.


Luminaire mounting: See technical-mounting options section for more information.

Anti-graffiti and sealer: Optional coatings available for added protection.









Slotted base plate

National Oilwell Varco has produced this brochure for general information only, and it is not intended for design purposes. Although every effort has been made to maintain the accuracy and reliability of its content, National Oilwell Varco does not warrant the accuracy or completeness of any data or information contained herein. National Oilwell Varco in no way assumes responsibility for any claim or liability for any loss, damage or injury related to or arising from the use and/or interpretation of the data and information contained herein. The user retains full responsibility for all inferences drawn or decisions made in connection with any such information and data or interpretations of such information and data, and all applications for the material described are at the user's risk and are the user's responsibility.

Pole Products 1020 B Street Fillmore, CA 93015, USA

Contact us 800.552.6376

© 2018 National Oilwell Varco | All Rights Reserved

