

NTP Tension Packer

The NTP Tension Packer is an economical, compact tension set retrievable packer. The packer is used to isolate casing holes or perforations as well for multi-zone completions where set down weight is not available. The NTP packer is used as the upper packer or packers with a tension packer such as the NASI-X.

Features


- Tension set, set down to release.
- Built in unloader aids retrieval.
- Standard design is left-hand set.

Benefits

- Simple set down to release.
- Economical.
- Full bore design.

Applications

- Low pressure production
- Injection
- Shallow wells



NTP Tension Packer

Technical Data

CASING				PACKER			
SIZE in. (mm)	WEIGHT lb/kg	Min. in.(mm)	Max in.(mm)	Max. O.D. In.(mm)	Min. I.D. In. (mm)	Connection	Product Number
2.875 73,03	6.4 - 6.5 9,52 - 9,67	2.375 60,33	2.441 62,00	2.250 57,15	1.375 34,93	1.660" EU 10 RD	437-25
4.500 114,30	9.5 - 13.5 14,14 - 20,09	3.920 99,57	4.090 103,89	3.750 95,25	1.995 50,67	2.375" EU 8 RD	437-45
5.000 127,00	11.5 - 15.0 17,11 - 22,32	4.408 111,96	4.560 115,82	4.125 104,78	1.995 50,67	2.375" EU 8 RD	437-50
5.500 139,70	15.5 - 20.0 22,32 - 29,76	4.778 121,36	4.950 125,73	4.644 117,96	1.995 50,67	2.375" EU 8 RD	437-55
	13.0 - 15.5 19,34 - 23,06	4.950 125,73	5.044 128,12	4.784 121,51	1.995 50,67	2.375" EU 8 RD	437-56
7.000 177,80	26.0 - 29.0 38,69 - 43,15	6.184 157,07	6.276 159,41	5.968 151,59	2.441 62,00	2.875" EU 8 RD	437-70
	20.0 - 29.0 29,76 - 43,15	6.184 157,07	6.456 163,98	5.968 151,59	2.992 75,95	3.500" EU 8 RD	437-74
	23.0 - 26.0 34,22 - 38,69	6.276 159,41	6.366 161,70	6.120 155,45	2.441 62,00	2.875" EU 8 RD	437-71
	17.0 - 20.0 25,30 - 29,76	6.456 163,98	6.538 166,07	6.266 159,16	2.441 62,00	2.875" EU 8 RD	437-72
7.625 193,68	24.0 - 29.7 35,71 - 44,19	6.875 174,63	7.025 178,44	6.672 169,47	2.441 62,00	2.875" EU 8 RD	437-74
	20.0 - 24.0 29,76 - 35,71	7.025 178,44	7.125 180,98	6.812 173,02	2.441 62,00	2.875" EU 8 RD	437-74
9.625 244,48	40.0 - 47.0 59,52 - 69,94	8.681 220,50	8.835 224,41	8.437 214,30	2.992 75,95	3.500" EU 8 RD	437-95